DEC 2 6 2007

ARATA TRADE

MFORMATION DISCLOSURE STATEMENT BY APPLICANT

Sheet 1 of 16

Application Number 10/567,025
Filing Date 06/24/2005
First Named Inventor Wang et al.
Group Art Unit
Examiner Name
Attorney Docket Number VDX5006USPCT

Examiner Cite		U.S. Patent Document		Name of Patentee or Applicant	Date of Publication of Cited
Initials	No.1	Number	Kind Code ²	of Cited Document	Document
· .		2002/0048784 A1		Hudson et al.	04/25/2002
		2002/0098535	A1	Wang et al.	07/25/2002
		2002/0110820	A1	Ramaswamy et al.	08/15/2002
		2002/0155480	A1	Golub et al.	10/24/2002
		2002/0160382	A1	Lasek et al.	10/31/2002
		2003/0013097	A1	Welsh et al.	01/16/2003
		2003/0049701	A1	Muraca	03/13/2003
		2003/0059431	A1	Hudson et al.	03/27/2003
		2003/014283	A 1	Iwano et al.	01/16/2003
		2003/0232356	A 1	Dooley et al.	12/18/2003
		4,715,545	Α	Hanifl et al.	12/29/1987
		5,210,015	A	Gelfand et al.	05/11/1993
-		5,348,856	A	Barbacid et al.	09/20/1994
		5,411,876	A	Bloch et al.	05/02/1995
		5,413,924	A	Kosak et al.	05/09/1995
		5,487,972	Α	Gelfand et al.	01/30/1996
		5,512,437	A	Gaugler et al.	04/30/1996
	٠	5,512,444	A	Patard et al.	04/30/1996
		5,525,494	A	Newton	06/11/1996
		5,550,044	A	Kosak et al.	08/27/1996
		5,612,201	A	De Plaen et al.	03/18/1997
		5,759,783	A	Lurquin et al.	06/02/1998
		5,804,375	A	Gelfand et al.	09/08/1998
		5,844,075	A	Kawakami et al.	12/01/1998
		5,844,092	Α	Presta et al.	12/01/1998

Examiner Date Signature Considered

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT Sheet 2 of 16				Application Number 10/567,025 Filing Date 06/24/2005 First Named Inventor Wang et al. Group Art Unit Examiner Name Attorney Docket Number VDX5006USPCT		
Examiner Initials	Cite No.1	U.S. Patent Document Number	Kind Code ²	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document	
		5,872,225	A	Lemmon	02/16/1999	
	,	5,910,574	Α	Presta et al.	06/08/1999	
		5,969,124	A	Lemmon	10/19/1999	
		5,985,619	Α	Sutherland et al.	11/16/1999	
	-	5,994,102	A	Hudson et al.	11/30/1999	
		6,025,474	Α	Van den Eynde et al.	02/15/2000	
		6,057,105	A	Hoon et al.	05/02/2000	
		6,107,476	Α	Erlander et al.	08/22/2000	
-		6,153,388	A	Reintgen	11/28/2000	
		6,235,525	B1	Van den Eynde et al.	05/22/2001	
		6,291,430	B1	Chaux et al.	08/18/2001	
		6,326,145	B1	Whitcombe et al.	12/04/2001	
		6,338,947	B1	Sahin et al.	01/15/2002	
		6,369,211	B1	Chaux et al.	04/09/2002	
-		6,403,341	B1	Barnes et al.	06/11/2002	
		6,426,217	B1	Chaux et al.	07/30/2002	
		6,465,181	B2	Billing-Medel et al.	10/15/2002	
		6,475,727	B1	Kufer et al.	11/05/2002	
		6,500,638	B2	Hudson et al.	12/31/2002	
		6,500,919	B1	Adema et al.	12/31/2002	
		6,521,227	B1	Hudson et al.	02/18/2003	
		6,527,560	B2	Yang	03/04/2003	
		6,599,699	B1	Guagler et al.	07/29/2003	
Examiner Signature				Date Considered		

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Sheet 3of 16

Application Number	10/567,025
Filing Date	06/24/2005
First Named Inventor	Wang et al.
Group Art Unit	
Examiner Name	
Attorney Docket Number	VDX5006USPCT

FOREIGN PATENT DOCUMENTS

Examiner	Cite No. ¹				Name of Patentee or	Date of Publication
Initials					Applicant of Cited Document	
		WO	96/29430	A 1	John Wayne Cancer Institute	09/26/1996
		wo	0127295		Schadendorf et al.	04/19/2001
		WO	0227028		Skinner et al.	04/04/2002
		WO	2004019886	A2	Durda et al.	03/11/2004
		WO	01946291	A2	Young et al.	12/13/2001
		WO	2005044990	A2	Burgess et al.	05/19/2005

Examiner			Date	 		
Signature			Considered			
UED 4 111 4 4	 			 16 . 1	 	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary) Sheet 4 of 16

r or information unless it displays a valid Oiv
10/567,05
06/24/2005
Wang et al.
VDX5006USPCT

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
		Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item	
Examiner's	Cite	(book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s),	T²
Initials*	No. ¹	publisher, city and/or country where published	

	OTHER - NON PATENT LITERATURE DOCUMENTS
1	ABRAHAMSEN et al. (2004) Quantification of melanoma mRNA markers in sentinel nodes: pre-
	clinical evaluation of a single-step real-time reverse transcriptase-polymerase chain reaction assay J
	Molec Diag 6:253-259
	ABRAHAMSEN et al. (2005) Pathologic assessment of melanoma sentinel nodes: a role for
	molecular analysis using quantitative real-time reverse transcription-PCR for MART1 and
	tyrosinase messenger RNA Clin Cancer Res 11:1425-1433
	ADEMA et al. (1994) Molecular characterization of the melanocyte lineage specific antigen gp100
	J Biol Chem 269:20126-20133
	AHMED et al. (2004) Cdc42-dependent nuclear translocation of non-receptor tyrosine kinase,
	ACK Biochem Biophys Res Commun 314:571-579
	AITKEN et al. (2004) Population screening for melanoma: current evidence and a community
	based randomized trial. In "Textbook of Melanoma" Ed. by JF Thompson, DL Morton and BBR
	Kroon. Martin and Dunitz pp 100-114
	AKULA et al. (2004) Raf promotes human herpesvirus-8 (HHV-8/KSHV) infection Oncogene
	23:5227-5241
	ALEXA et al. (2004) Contribution of distinct structural elements to activation of calpain by Ca ² +
	ions J Biol Chem 279:20118-20126
	ALTZNAUER et al. (2004) Calpain-1 regulates Bax and subsequent Smac-dependent caspase-3
	activation in neutrophil apoptosis J Biol Chem 279:5947-5957
	ANTONESCU et al. (2002) Molecular diagnosis of clear cell sarcoma: detection of EWS-ATF1
	and MITF-M transcripts and histopathological and ultrastructural analysis of 12 cases J Mol Diag
	4:44-52
	AROZARENA et al. (2004) Activation of H-Ras in the endoplasmic reticulum by the RasGRF
	family guanine nucleotide exchange factors Mol Cell Biol. 24:1516-1530
	BAE et al. (2003) Gene expression patterns as potential molecular biomarkers for malignant
	transformation in human keratinocytes treated with MNNG, arsenic or a metal mixture Toxicol Sci
	74:32-42
	BALCH et al. (2001) Final version of the American Joint Committee on cancer staging system for
	cutaneous melanoma J Clin Oncol 19:3635-3648

Examiner	•	•	Date	
Signature		_	Considered	

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Sheet 5 of 16

rotoono aro toquiroa to toopona to a concotor	To momation diacoo it displays a valid on
Application Number	10/567,025
Filing Date	06/24/2005
First Named Inventor	Wang et al.
Group Art Unit	
Examiner Name	
Attorney Docket Number	VdX5006USPCT

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
		Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item	
Examiner's	Cite	(book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s),	T ²
Initials*	No. ¹	publisher, city and/or country where published	

BALDI et al. (2003) Identification of genes down-regulated during melanoma progression: a cDNA array study Exp Dermatol 12:213-218 BARAC et al. (2004) Direct interaction of p21-activated kinase 4 with PDZ-RhoGEF, a G p linked Rho guanine exchange factor J Biol Chem 279:6182-6189 BENDOTTI et al. (2004) Activated p38MAPK is a novel component of the intracellular inc found in human amyotrophic lateral sclerosis and mutant SOD1 transgenic mice J. Neuropat	ì
BARAC et al. (2004) Direct interaction of p21-activated kinase 4 with PDZ-RhoGEF, a G p linked Rho guanine exchange factor J Biol Chem 279:6182-6189 BENDOTTI et al. (2004) Activated p38MAPK is a novel component of the intracellular inc	
linked Rho guanine exchange factor J Biol Chem 279:6182-6189 BENDOTTI et al. (2004) Activated p38MAPK is a novel component of the intracellular inc	
BENDOTTI et al. (2004) Activated p38MAPK is a novel component of the intracellular inc	rotein-
found in human amyotrophic lateral sclerosis and mutant SOD1 transgenic mice J. Neuropat	lusions
	hol.
Exp. Neurol. 63:113-119	
BITTNER et al. (2000) Molecular classification of cutaneous malignant melanoma by gene	
expression profiling Nature 406:536-540	
BOSTICK et al. (1999) Prognostic significance of occult metastases detected by sentinel	
lymphadenectomy and reverse transcriptase-polymerase chain reaction in early-stage meland	oma
patients J Clin Oncol 17:3238-3244	
BROWN et al. (2003) MIC-1 Serum Level and Genotype: Associations with Progress and	
Prognosis of Colorectal Carcinoma Clin Cancer Res 9:2642-2650	
BUCKHAULTS et al. (2001) Secreted and cell surface genes expressed in benign and malig	nant
colorectal tumors Cancer Res. 61:6996-7001	
BURZIO et al. (2002) Biochemical and cellular characteristics of the four splice variants of	protein
kinase CK1α from zebrafish (Danio rerio) J Cell Biochem 86:805-814	
BUCHS et al. (2004) Normal p21Ras/MAP kinase pathway expression and function in PBM	IC
from patients with polycystic ovary disease Int J Mol Med 13:595-599	
Cancer Facts and Figures 2003 AMERICAN CANCER SOCIETY, 2003	
CARÉ et al. (1996) HOXB7 constitutively activates basic fibroblast growth factor in melancing	omas
Mol Cell Biol 16:4842-4851	
CARLSON et al. (2003) Biomarkers in melanoma: staging, prognosis and detection of early	
metastasis Expert Rev Mol Diagn 3:303-330	•
CATALA (2002) Genetic control of caudal development Clin Genet 61:89-96	
CHEN et al. (2003) Molecular characterization of human ninein protein: two distinct subdor	nains
required for centrosomal targeting and regulating signals in cell cycle Biochem Biophys Res	
Commun 308:975-983	

		 	
Examiner	Date		
Signature	Considered		

Approved for use through 10/31/2002. OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary) Sheet 6 of 16

persons are required to respond to a collection of information unless it displays a valid (
Application Number	10/567,025	
Filing Date	06/24/2005	
First Named Inventor	Wang et al.	
Group Art Unit	- " -	
Examiner Name		
Attorney Docket Number	VDX5006USPCT	

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS		

	CHEN et al. (2004) MEK1,2 response element mediates angiotensin II-stimulated plasminogen activator inhibitor-1 promoter activation Blood 103:2636-2644
	CHEN et al. (2004) Cdc42 and the actin-related protein/neural Wiskott-Aldrich syndrome protein
-	network mediate cellular invasion by Cryptosporidium parvum Infect Immun 72:3011-3021
,	CHEUNG et al. (2001) Detection of microscopic disease: comparing histology, immunocytology,
	and RT-PCR of tyrosine hydroxylase, GAGE, and MAGE Med Ped Oncol 36:210-212
	CHING et al. (2003) Identification of an autoinhibitory domain of p21-activated protein kinase 5 J
	Biol Chem 278:33621-33624
	CLARK et al. (2003) The secreted protein discovery initiative (SPDI), a large-scale effort to
	identify novel human secreted and transmembrane proteins: a bioinformatics assessment Genome
	Res 13:2265-2270
	COCHRAN et al. (2001) Current practice and future directions in pathology and laboratory
	evaluation of the sentinel node Ann Surg Oncol 89:13-17
	COCHRAN et al. (2004) Optimized assessment of sentinel lymph nodes for metastatic melanoma:
	implications for regional surgery and overall treatment planning Ann Surg Oncol 11:156S-161S
	COOK et al. (2003) The development of optimal pathological assessment of sentinel lymph nodes
·	for melanoma J Pathol 200:314-319
	CRONIN et al. (2004) Measurement of gene expression in archival paraffin-embedded tissues:
	development and performance of a 92-gene reverse transcriptase-polymerase chain reaction assay
	Am J Pathol 164:35-42
	DAVIDS et al. (2003) Accurate molecular detection of melanoma nodal metastases: an assessment
	of multimarker assay specificity, sensitivity, and detection rate J Clin Mol Pathol 56:43-51
	DE BRAUD et al. (2003) Malignant melanoma Critical Review In Oncol/Hematol 47:35-63
	DUCY et al. (2000) The family of bone morphogenetic proteins Kidney Int. 57:2207-2214
	DWIVEDI et al. (2004) Protein kinase A in postmortem brain of depressed suicide victims: altered
	expression of specific regulatory and catalytic subunits Biol Psychiatry 55:234-243
	DUCY et al. (2000) The family of bone morphogenetic proteins Kidney Int. 57:2207-2214 DWIVEDI et al. (2004) Protein kinase A in postmortem brain of depressed suicide victims: altered

Examiner Signature	Date Considered

PTO/SB/08A (08-00)
Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE sons are required to respond to a collection of information unless it displays a valid OMB control number. Under the Paperwork Reduction Act of 1995, no pe

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary) Sheet 7 of 16

persons are required to respond to a conection of information unless it displays a valid Of		
Application Number	10/567,025	
Filing Date	06/24/2005	
First Named Inventor	Wang et al.	
Group Art Unit		
Examiner Name	•	
Attorney Docket Number	VDX5006USPCT	

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS			
Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item Examiner's Cite (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), Initials* No. 1 publisher, city and/or country where published			
		EDGAR et al. (2002) Cloning and tissue distribution of three murine α/β hydrolas	se fold pro

1	EDGAR et al. (2002) Cloning and tissue distribution of three murine α/β hydrolase fold protein	
	cDNAs Biophys Biochim Res Comm 292:617-625	
	ENCINAS et al. (2004) Tyrosine 981, a novel ret autophosphorylation site, binds c-Src to mediate	
-	neuronal survival J Biol Chem 279:18262-18269	
·	ESLER et al. (2001) A portrait of Alzheimer secretases - new features and familiar faces Science	
	293:1449-1454	
	EVELLIN et al. (2002) Stimulation of phospholipase C by the M3 muscarinic acetylcholine	
	receptor mediated by cyclic AMP and the GTPase Rap2B J Biol Chem 277:16805-16813	
	FENNER et al. (1998) MSG1 (melanocyte-specific gene 1): mapping to chromosome Xq13.1,	
	genomic organization, and promoter analysis Genomics 51:401-407	
	FOGEL et al. (2003) L1 adhesion molecule (CD171) in development and progression of human	
	malignant melanoma Cancer Lett 189:237-247	
	FUJII et al. (2004) Overexpression or ablation of JNK in skel et al. muscle has no effect on	
	glycogen synthase activity Am J Physiol Cell Physiol 287:C200-C208	
	GANGEMI et al. (2004) Regulatory genes controlling cell fate choice in embryonic and adult	
	neural stem cells J Neurochem 89:286-306	
	GIANCOTTI et al. (1999) Integrin signaling Science 285:1028-1032	
	GOLUBOVSKAYA et al. (2004) Cloning and characterization of the promoter region of human	
	focal adhesion kinase gene: nuclear factor kappa B and p53 binding sites Biochim Biophys Acta	
	1678:111-125	
	GOSMANOV et al. (2004) Impaired expression and insulin-stimulated phosphorylation of Akt-2 in	
	muscle of obese patients with atypical diabetes Am J Physiol Endocrinol Metab 287:E8-E15	
	GOYDOS et al. (2003) Patterns of recurrence in patients with melanoma and histologically	
	negative but RT-PCR-positive sentinel lymph nodes J Am Coll Surg 196:196-205	
	GRIMSLEY et al. (2004) Dock180 and ELMO1 proteins cooperate to promote evolutionarily	
	conserved Rac-dependent cell migration J Biol Chem 279:6087-6097	
	GRONHOLM et al. (2003) Merlin links to the cAMP neuronal signaling pathway by anchoring the	
	RIβ subunit of protein kinase A J Biol Chem 278:41167-41172	
	GUAN et al. (2003) ASC/TMS1, a caspase-1 activating adaptor, is down regulated by aberrant	
	methylation in human melanoma Int J Cancer 107:202-208	
	GUSTAFSON et al. (2004) Bcr-Abl Regulates Protein Kinase Ct (PKCt) Transcription via an Elk1	
<u></u>	Site in the PKC Promoter J Biol Chem 279:9400-9408	
Examiner Signature	Date Considered	
Signature		

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
nd to a collection of information unless it displays a valid OMB control number. Under the Paperwork Reduction Act of 1995, no pe

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary) Sheet 8 of 16

persons are required to respond to a collection	Torintonnation unless it displays a valid On
Application Number	10/567,025
Filing Date	06/24/2005
First Named Inventor	Wang et al.
Group Art Unit	
Examiner Name	
Attorney Docket Number	VDX5006USPCT

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS				
			Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item	
Examine	er's	Cite	(book, magazine, journal, senal, symposium, catalog, etc.), date, page(s), volume-issue number(s),	T ²
Initials*		No.1	publisher, city and/or country where published	

	GUTZMER et al. (2002) Specificity of tyrosinase and HMB45 PCR in the detection of melanoma
	metastases in sentinel lymph node biopsies Histopathol 41:510-518
	HAENDELER et al. (2003) GIT1 mediates Src-dependent activation of phospholipase Cγ by
	angiotensin II and epidermal growth factor J Biol Chem 278:49936-49944
	HAFNER et al. (2003) Loss of EphB6 expression in metastatic melanoma Int J Oncol
	23:1553-1559
	HAQQ et al. (2005) The gene expression signature of melanoma progression Proc Natl Acad Sci
	USA 102:6092-6097
	HASPEL et al (2003) The L1CAM extracellular region: a multi-domain protein with modular and
	cooperative binding modes Front Biosci 8:S1210-S1225
-	HENDRIX et al. (2002) Transendothelial function of human metastatic melanoma cells: role of the
	microenvironment in cell-fate determination Cancer Res 62:665-668
	HENSHALL et al. (2003) Survival analysis of genome-wide gene expression profiles of prostate
	cancers identifies new prognostic targets of disease relapse Cancer Res 63:4196-4203
	HILGARD et al. (2004) Proapoptotic function of protein kinase CK2α" is mediated by a JNK
	signaling cascade Am J Physiol Gastrointest Liver Physiol 287:G192-G201
	HILLIER et al. (1996) Generation and analysis of 280,000 human expressed sequence tags
	Genome Res 6:807-828
	HIPFEL et al. (1998) RNA isolation from human skin tissues for colorimetric differential display J
	Biochem Biophys Method 37:131-135
	HIPFEL et al. (2000) Specifically regulated genes in malignant melanoma tissues identified by
	subtractive hybridization Br J Cancer 82:1149-1157
	HIRAGA et al. (1997) Establishment of a new continuous clear cell sarcoma cell line
	Morphological and Cytogenetic characterization and detection of chimaeric EWS/ATF-1
	transcripts Virchows Archiv 431:45-51
	HISAOKA et al. (2002) Gene expression of TrkC (NTRK3) in human soft tissue tumors J Pathol
	197:661-667
	HOEK et al. (2004) Expression profiling reveals novel pathways in the transformation of
	melanocytes to melanomas Cancer Res 64:5270-5282
	HOON et al. (2001) Molecular detection of metastatic melanoma cells in cerebrospinal fluid in
	melanoma patients J Invest Dermatol 117:375-378
	HOON et al. (2004) Profiling epigenetic inactivation of tumor suppressor genes in tumor and
	plasma from cutaneous melanoma patients Oncogene 23:4014-4022
	IZARD et al. (2004) Vinculin activation by talin through helical bundle conversion Nature
	427:171-175
<u> </u>	(2).1/1 1/3

Examiner	Date
Signature	Considered

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary) Sheet 9 of 16

persons are required to respond to a collection	n or information unless it displays a valid Of
Application Number	10/567,025
Filing Date	06/24/2005
First Named Inventor	Wang et al.
Group Art Unit	
Examiner Náme	
Attorney Docket Number	VDX5006USPCT
· ·	·

Examiner's Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published
		JAFFER et al. (2002) p21-Activated kinases: three more join the Pak Int J Biochem Cell Biol 34:713-717
	_	KADAJA et al. (2004) Overexpression of leukocyte marker CD43 causes activation of the tumor
		suppressor proteins p53 and ARF Oncogene 23:2523-2530
		KAM et al. (2003) The reelin pathway components disabled-1 and p35 in gangliogliomas – a
		mutation and expression analysis Neuropathol Appl Neurobiol 30:225-232
		KAMHOLZ et al. (1986) Identification of three forms of human myelin basic protein by cDNA
		cloning Proc Natl Acad Sci USA 83:4962-4966
		KAMMULA et al. (2004) Serial follow-up and prognostic significance of reverse
		transcriptase-polymerase chain reaction-staged sentinel lymph nodes from melanoma patients J
		Clin Oncol 22:3989-3996
		KANEDA et al. (2002) Reduced expression of the insulin-induced protein 1 and P41 ARP2/3
		complex genes in human gastric cancers Int J Cancer 100:57-62
		KARAN et al. (2003) Dysregulated expression of MIC-1/PDF in human prostate tumor cells
		Biochim Biophys Res Commun 305:598-604
		KIKUCHI et al. (2003) An N-terminal fragment of ProSAAS (a granin-like neuroendocrine peptide
		precursor) is associated with tau inclusions in Pick's disease Biochem Biophys Res Commun 308:646-654
		KIRCHHOFF et al. (2004) Nef proteins from simian immunodeficiency virus-infected
	B 1	chimpanzees interact with p21-activated kinase 2 and modulate cell surface expression of various
	_	human receptors J Virol 78:6864-6874
		KITANO et al. (2003) Gene diversity patterns at 10 X-chromosomal loci in humans and
		chimpanzees Mol Biol Evol 20:1281-1289
		KUO et al. (2003) Prediction of disease outcome in melanoma patients by molecular analysis of paraffin-embedded sentinel lymph nodes J Clin Oncol 21:3566-3572
		LEE et al. (2004) Casein kinase II-mediated phosphorylation regulates α-synuclein/synphilin-1
		interaction and inclusion body formation J Biol Chem 279:6834-6839
		LEE et al. (2004) Phosphorylation of Tau by Fyn: implications for Alzheimer's Disease J Neurosci
		24:2304-2312
		LI et al. (1995) Identification and expression analysis of a potential familial Alzheimer disease
		gene on chromosome 1 related to AD3 Proc Natl Acad Sci USA 92:12180-12184
		LI et al. (2004) Casein kinase 1 Δ phosphorylates Tau and disrupts its binding to microtubules J
		Biol Chem 279:15938-15945
		LI et al. (2004) Zyxin interacts with the SH3 domains of the cytoskeletal proteins LIM-nebulette
	_	and Lasp-1 J Biol Chem 279:20401-20410

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

Examiner	· · · · · · · · · · · · · · · · · · ·	Date	
Signature		Considered	

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary) Sheet 10 of 16

persons are required to respond to a concess.	ir of information unless it displays a valid of
Application Number	10/567,025
Filing Date	06/24/2005
First Named Inventor	Wang et al.
Group Art Unit	
Examiner Name	
Attorney Docket Number	VDX5006USPCT
,	

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS
Examiner's Initials*	Cite No:1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published
		THE 1 (2000) M
		LIU et al. (2003) Macrophage inhibitory cytokine 1 reduces cell adhesion and induces apoptosis in
		prostate cancer cells Cancer Res 63:5034-5040
		LIU et al. (1992) cDNA cloning of a novel human ubiquitin carrier protein J Biol Chem 267:15829-15835
		LUFTNER et al. (2003) Plasma levels of HER-2/neu, tumor type M2 pyruvate kinase and its
		tyrosine-phosphorylated metabolite in advanced breast cancer Anticancer Res 23:991-997
		LUO et al. (2001) Human prostate cancer and benign prostatic hyperplasia: molecular dissection b gene expression profiling Cancer Res 61:4683-4688
	+	LUTHI et al. (2003) X-linked thrombocytopenia caused by a mutation in the Wiskott-Aldrich
		syndrome (WAS) gene that disrupts interaction with the WAS protein (WASP)-interacting protein
		(WIP) Exp Hematol 31:150-158
		MACDOUGALL et al. (2003) Human myometrial quiescence and activation during gestation and
		parturition involve dramatic changes in expression and activity of particulate type II (RIIα) protein
		kinase A holoenzyme J Clin Endocrinol Metab 88:2194-2205
		MAJUMDER et al. (2004) mTOR inhibition reverses Akt-dependent prostate intraepithelial neoplasia through regulation of apoptotic and HIF-1-dependent pathways Nature Med 10:594-601
	+	MANDELCORN-MONSON et al. (2003) Cytotoxic T lymphocyte reactivity to gp100,
		MelanA/MART-1, and tyrosinase, in HLA-A2-positive vitiligo patients J Invest Dermatol 121:550-556
		MARCHETTI et al. (2003) Human melanoma TrkC: its association with a purine-analog-sensitive kinase activity J Cell Biochem 88:865-872
	+-	MARESH et al. (1994) Cloning and expression of the gene for the melanoma-associated ME20
		antigen DNA Cell Biol 13:87-95
	+	MARLOW et al. (2003) APH1, PEN2, and Nicastrin increase $\alpha\beta$ levels and γ -secretase activity
		Biochem Biophys Res Commun 305:502-509
	+	MASTERS et al. (1985) Amyloid plaque core protein in Alzheimer disease and Down syndrome
		Proc Natl Acad Sci USA 82:4245-4249
	-	MCGREGOR et al. (1999) Roles of trk family neurotrophin receptors in medullary thyroid
		carcinoma development and progression Proc Natl Acad Sci USA 96:4540-4545
		MCMASTERS (2003) Molecular staging of melanoma: sensitivity, specificity and the search of clinical significance Ann Surg Oncol 10:336-337
1		MENEZ et al. (2004) Mutant α-actinin-4 promotes tumorigenicity and regulates cell motility of a

Examiner	Date ·	
Signature	Considered	

human lung carcinoma Oncogene 23:2630-2639

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE to a collection of information unless it displays a valid OMB control number. Under the Paperwork Reduction Act of 1995, no po

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary) Sheet 11 of 16

persons are required to respond to a collection	n of information unless it displays a valid ON
Application Number	10/567,025
Filing Date	06/24/2005
First Named Inventor	Wang et al.
Group Art Unit	
Examiner Name	
Attorney Docket Number	VDX5006USPCT

,		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner's Cite (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published		T²	
MESSINA et al. (1999) Pathologic examination of the sentinel lymph node in malignant r			

	MESSINA et al. (1999) Pathologic examination of the sentinel lymph node in malignant melanoma
	Am J Surg Pathol 23:686-690
	MONACO (2004) Evidence regarding a role fro CK5 dysregulation in Alzheimer's disease Curr
	Alzheimer Res 1:33-38
<u> </u>	MORTON et al. (1992) Technical details of intraoperative lymphatic mapping for early stage
	melanoma Arch Surg 127:392-399
	NAKAMURA et al. (2003) Quantitative analysis of macrophage inhibitory cytokine-1 (MIC-1)
	gene expression in human prostatic tissues Br J Cancer 88:1101-1104
	NISHIHARA et al. (2004) Cyclic AMP promotes cAMP-responsive element-binding protein-
	dependent induction of cellular inhibitor of apoptosis protein-2 and suppresses apoptosis of colon
	cancer cells through ERK1/2 and p38 MAPK J Biol Chem 279:26176-26183
	NOMURA et al. (2004) Identification of a novel domain of Ras and Rap1 that directs their
-	differential subcellular localizations J Biol Chem 279:22664-22673
	ODA et al. (2003) CrkL directs ASAP1 to peripheral focal adhesions J Biol Chem 278:6456-6460
	OKADA et al. (2001) Genetic detection of lymph node micrometastases in patients with gastric
	carcinoma by multiple-marker reverse transcriptase-polymerase chain reaction assay Cancer
	92:2056-2064
	OKAMI et al. (2000) Genetic detection for micrometastasis in lymph node of biliary tract
	carcinoma Clin Cancer Res 6:2326-2332
	OOKA et al. (2000) Selection of mRNA markers for detection of lymph node micrometastases in
	breast cancer patients Oncol Rep 7:561-566
	OURY et al. (2004) ATP augments von Willebrand factor-dependent shear-induced platelet aggregation through Ca ² +-calmodulin and myosin light chain kinase activation J Biol Chem
	279:26266-26273
	PALMIERI et al. (2001) Detection of occult melanoma cells in paraffin-embedded histologically
	negative sentinel lymph nodes using a reverse transcriptase polymerase chain reaction assay J Clin
	Oncol 19:1437-1443
	PARALKAR et al. (1998) Cloning and characterization of a novel member of the transforming
	growth factor-β/bone morphogenetic protein family J Biol Chem 273:13760-13767
	PASTORINO et al. (2004) BACE (β-secretase) modulates the processing of APLP2 in vivo Mol
	Cell Neurosci 25:642-649
	PATEL et al. (2003) Cadherin switching in ovarian cancer progression Int J Cancer 106:172-177
Examiner Signature	Date Considered

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE to a collection of information unless it displays a valid OMB control number. Under the Paperwork Reduction Act of 1995, no pe

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary) Sheet 12 of 16

persons are required to respond to a collection	ii oi iilloitilatioii uniess it uispiays a valio Oiv
Application Number	10/567,025
Filing Date	06/24/2005
First Named Inventor	Wang et al.
Group Art Unit	
Examiner Name	
Attorney Docket Number	VDX5006USPCT

Examiner's Initials*	Cite No. ¹	(book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published
		T DITTOT - 1 (2004) D 11: 1 - 11: 11: - 1 - C - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
		PITSI et al. (2004) Presenilin 1 stabilizes the C-terminal fragment of the amyloid precursor protein
	-	independently of γ-secretase activity J Biol Chem 279:25333-25338
	<u> </u>	POLYAK et al. (1997) A model for p53-induced apoptosis Nature 389:300-305
		PONTOW et al. (2004) Actin cytoskeletal reorganizations and coreceptor-mediated activation of rac during human immunodeficiency virus-induced cell fusion J Virol 78:7138-7147
		PRICHARD et al. (2003) The role of molecular staging in malignant melanoma Eur J Surg Oncol 29:306-314
		QI et al. (2004) α-Chimaerin exists in a functional complex with the Cdk5 kinase in brain FEBS Lett 561:177-180
		QI et al. (2004) p38 MAPK activation selectively induces cell death in K-ras-mutated human colon cancer cells through regulation of vitamin D receptor J Biol Chem 279:22138-22144
		QIN et al. (2004) p53-independent NOXA induction overcomes apoptotic resistance of malignant melanomas Mol Cancer Therap 3:895-902
		RAAS-ROTHSCHILD et al. (2002) A PEX6-defective peroxisomal biogenesis disorder with severe phenotype in an infant, versus mild phenotype resembling Usher syndrome in the affected parents Am J Hum Genet 70:1062-1068
		RAICH et al. (1986) Molecular cloning and complete primary sequence of human erythrocyte porphobilinogen deaminase Nucl Acids Res 14:5955-5968
		RAY et al. (1997) AIM1, a novel non-lens member of the βγ-crystallin superfamily, is associated with the control of tumorigenicity in human malignant melanoma Proc Natl Acad Sci USA 94:3229-3234
		REIFENBERGER et al. (2004) Frequent alterations of Ras signaling pathway genes in sporadic malignant melanomas Int J Cancer 109:377-384
		REINTGEN et al. (2004) The staging of malignant melanoma and the Florida Melanoma Trial Ann Surg Oncol 11:186S-191S
		RHEE et al. (2004) MEK is a key modulator for TLR5-induced interleukin-8 and MIP3α gene expression in non-transformed human colonic epithelial cells J Biol Chem 279:25179-25188
		RICCIONI et al. (2002) The sentinel lymph node in melanoma: use of molecular biology (RT-PCR) to detect occult metastases Pathologica 94:190-195
		RIMBOLDi et al. (2003) Detection of micrometastas in sentinel lymph nodes from melanoma patients: direct comparison of multimarker molecular and immunopathological methods Melanoma Res 13:511-520
Examiner Signature		Date Considered

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item

Approved for use through 10/31/2002. OMB 0551-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
o a collection of information unless it displays a valid OMB control number. Under the Paperwork Reduction Act of 1995, no p

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary) Sheet 13 of 16

persons are required to respond to a collection	n of information unless it displays a valid ON
Application Number	10/567,025
Filing Date	06/24/2005
First Named Inventor	Wang et al.
Group Art Unit	
Examiner Name	
Attorney Docket Number	VDX5006USPCT

Examiner's	Cite	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s),
Initials*	No. ¹	publisher, city and/or country where published
	1	
		RING et al. (1998) Five SWI/SNF-related, matrix-associated, actin-dependent regulator of
	_	chromatin (SMARC) genes are dispersed in the human genome Genomics 51:140-143
		RYDEN et al. (1996) Expression of mRNA for the neurotrophin receptor trkC in neuroblastomas
		with favourable tumour stage and good prognosis Br J Cancer 74:773-779
		SAITO et al. (2004) Differential regulation of focal adhesion kinase and paxillin phosphonylation
		by the small GTP-binding protein Rho in human corneal epithelial cells Jpn J Ophthalmol 48:199-
		207
		SAKWE et al. (2004) Involvement of protein kinase C-α and –epsilon in extracellular Ca(2+)
		signalling mediated by the calcium sensing receptor Exp Cell Res 297:560-573
		SALAZAR-ONFRAY et al. (2002) Tissue distribution and differential expression of melanocorting
		1 receptor, a malignant melanoma marker Br J Cancer 87:414-422
		SASAKI et al. (2004) BRAF point mutations in primary melanoma show different prevalences by
subtype J Invest Dermate		subtype J Invest Dermatol 123:177-183
		SATYAMOORTHY et al. (2002) A versatile method for the removal of melanin from ribonucleic
		acids in melanocytic cells Melanoma Res 12:449-452
		SCHECHTMAN et al. (2004) A critical intramolecular interaction for protein kinase Cepsilon
		translocation J Biol Chem 279:15831-15840
	-	SCHMUTH et al. (2004) The effect of LXR activators on AP-1 proteins in keratinocytes J Invest
		Dermatol 123:41-48
		SEGAL et al. (2003) Classification of clear-cell sarcoma as a subtype of melanoma by genomic
		profiling J Clin Oncol 21:1775-1781
		SELLS et al. (1997) Human p21-activated kinase (Pak1) regulates actin organization in
		mammalian cells Curr Biol 7:202-210
		SEYKORA et al. (2003) Gene expression profiling of melanocytic lesions Am J Dermatopathol
	İ	25:6-11
		SHIMIZU et al. (1999) High expression of macrophage migration inhibitory factor in human
		melanoma cells and is role in tumor cell growth and angiogenesis Biochem Biophys Res Commun
		264:751-758
		SHIROTANI et al. (2004) Immature nicastrin stabilizes APH-1 independent of PEN-2 and
		presenilin: identification of nicastrin mutants that selectively interact with APH-1 J Neurochem
		89:1520-1527
		SHIVERS et al. (1998) Molecular staging of malignant melanoma: correlation with clinical
		TANA 200-1410 1415

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

Examiner	Date	
Signature	Considered	

outcome JAMA 280:1410-1415

(DUSP4, DUSP6, and DUSP7) Genomics 42:524-7

SMITH et al. (1997) Chromosomal localization of three human dual specificity phosphatase genes

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary) Sheet 14 of 16

persons are required to respond to a collection	n or information unless it displays a valid ON
Application Number	10/567,025
Filing Date	06/25/2005
First Named Inventor	Wang et al.
Group Art Unit	
Examiner Name	
Attorney Docket Number	VDX5006USPCT

		·
		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS
Examiner's Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published
		STARZ et al. (2003) Tyrosinase RT-PCR as a supplement to histology for detecting melanoma and nevus cells in paraffin sections of sentinel lymph nodes Mod Pathol 16:920-929
		STIEBER et al. (2003) Molecular basis for the different activation kinetics of the pacemaker channels HCN2 and HCN4 J Biol Chem 278:33672-33680
		STOLETOV et al. (2004) Nck and Crk mediate distinct VEGF-induced signaling pathways that serve overlapping functions in focal adhesion turnover and integrin activation Exp Cell Res 295:258-268
		STRAUSBERG et al. (2002) Generation and initial analysis of more than 15,000 full-length huma and mouse cDNA sequences Proc Natl Acad Sci USA 99:16899-16903
		SU et al. (2001) Molecular classification of human carcinomas by use of gene expression signatures Cancer Res 61:7388-7993
		SUZUKI et al. (1999) Expression of MAGE genes and survival in patients with hepatocellular carcinoma Int J Oncol 15:1227-1232
		SWIATEK et al. (2004) Regulation of casein kinase I epeon activity by Wnt signaling J Biol Chen 279:13011-13017
		SZEBENI et al. (2003) Role of protein kinase CK2 phosphorylation in the molecular chaperone activity of nucleolar protein B23 J Biol Chem 278:9107-9115

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Substitute for fe	rm 1449A/PTO
-------------------	--------------

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary) Sheet 15 of 16

crostic are required to recoporate to a concession or informace. Extract it are played a raise of				
Application Number	10/567,025			
Filing Date	06/24/2005			
First Named Inventor	Wang et al.			
Group Art Unit				
Examiner Name				
Attorney Docket Number	VDX5006USPCT			

	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS				
Examiner's Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, senal, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published			
		TUSHER et al. (2001) Significance analysis of microarrays applied to the ionizing radiation			
		response Proc Natl Acad Sci USA 98:5116-5121			
	+	VAN IMPE et al. (2003) The Nucleo-cytoplasmic actin-binding protein CapG lacks a nuclear			
		export sequence present in structurally related proteins J Biol Chem 278:17945-17952			
		VANDESOMPELE et al. (2002) Accurate normalization of real-time quantitative RT-PCR data by			
		geometric averaging of multiple internal control genes Genome Biol 3:1-11			
	1	VIHINEN (2003) New Prognostic factors and developing therapy of cutaneous melanoma Ann			
		Med 35: 66-78			
		WANG et al. (2001) Optimal procedure for extracting RNA from human ocular tissues and			
		expression profiling of the congenital glaucoma gene FOXC1 using quantitative RT-PCR Mol			
		Vision 7:89-94			
		WANG et al. (2002) The third activity for lysyl hydroxylase 3: galactosylation of hydroxylysyl			
		residues in collagens in vitro Matrix Biol 21:559-566			
	WANG et al. (2004) Gene expression profiles and molecular markers to predict recurrence of				
		Dukes' B colon cancer J Clin Oncol 22:1564-1571			
I	WEERARATNA (2004) Generation and analysis of melanoma SAGE libraries: SAGE advice on				
<u> </u>	the melanoma transcriptome Oncogene 23:2264-2274				
		WEISER et al. (2001) Induction of MAGE-3 expression in lung and esophageal cancer cells Ann			
		Thorac Surg 71:295-302			
		WELK et al. (2001) Identification and characterization of the gene encoding human cytoplasmic			
<u> </u>		polyadenylation element binding protein Gene 263:113-20.			
		WELSH et al. (2003) Large-scale delineation of secreted protein biomarkers overexpressed in			
 		cancer tissue and serum Proc Natl Acad Sci USA 100:3410-3415			
		WILSON et al. (2000) An early requirement for FGF signaling in the acquisition of neural cell fate			
	_	in the chick embryo Curr Bio 10:421-429 WOO et al. (2004) Respectful inhibits phorbal muristate sectate induced matrix			
		WOO et al. (2004) Resveratrol inhibits phorbol myristate acetate-induced matrix metalloproteinase-9 expression by inhibiting JNK and PKC δ signal transduction Oncogene			
ĺ		metalloproteinase-9 expression by inhibiting JNK and PKC 8 signal transduction Oncogene 23:1845-1853			
	_	WRIGHTSON et al. (2001) Reverse transcriptase-polymerase chain reaction (RT-PCR) analysis of			
ĺ		nonsentinel nodes following completion lymphadenectomy for melanoma J Surg Res 98:47-51			
	+	XU et al. (2003) Transforming growth factor-β1 stimulated protein kinase B serine-473 and focal			
ĺ		adhesion kinase tyrosine phosphorylation dependent on cell adhesion in human hepatocellular			
ĺ		carcinoma SMMC-7721 cells Biochem Biophys Res Commun 312:388-396			
	+-	XU et al. (2003) Expression of neurotrophin receptor Trk-C in nevi and melanomas J Cutan Pathol			
ĺ		30:318-322			
		30.310 322			

Examiner	Date	
Signature	Considered	

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)
Sheet 16 of 16

persons are required to respond to a collection of information unless it displays a valid OM				
Application Number	10/567,025			
Filing Date	06/24/2005			
First Named Inventor	Wang et al.			
Group Art Unit				
Examiner Name				
Attorney Docket Number	VDX5006USPCT			

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS			
Examiner's Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T ²

	YAMANAKA et al. (1998) Expression of MAGE genes in renal cell carcinoma Int J Mol Med
	2:57-60
	YAMAUCHI et al. (2003) Neurotrophin 3 activation of TrkC induces Schwann cell migration
	through the c-Jun N-terminal kinase pathway Proc Natl Acad Sci USA 100:14421-14426
	YANG et al. (2003) Macrophage inhibitory cytokine-1: a novel biomarker for p53 pathway
·	activation Mol Cancer Ther 2:1023-1029
	YANNONI et al. (2004) P66 ^{ShcA} interacts with MAPKAP kinase 2 and regulates its activity FEBS
	Lett 564:205-211
	YOSHIMATSU et al. (1998) Expression of the melanoma antigen-encoding gene in human lung
	cancer J Surg Oncol 67:126-129
	YU et al. (1999) Detection of microscopic melanoma metastases in sentinel lymph nodes Cancer
	86:617-627
	YU et al. (2004) A minimal length between tau exon 10 and 11 is required for correct splicing of
·	exon 10 J Neurochem 90:164-172
	ZATTI et al. (2004) The presenilin 2 M239I mutation associated with familial Alzheimer's disease
	reduces Ca ² + release from intracellular stores Neurobiol Dis 15:269-278
	ZHANG et al. (2003) Negative regulation of T cell antigen receptor-mediated Crk-L-C3G
	signaling and cell adhesion by Cbl-b J Biol Chem 278:23978-23983
	ZHANG et al. (2004) Characterization of the cAMP-dependent protein kinase catalytic subunit Cγ
	expressed and purified from sf9 cells Protein Expr Purif 35:156-169
	ZHANG et al. (2004) Hsp90/p50cdc37 is required for mixed-lineage kinase (MLK) 3 signaling J
	Biol Chem 279:19457-19463
	ZHOU et al. (2004) A novel crosstalk mechanism between nuclear receptor-mediated and growth
	factor/Ras-mediated pathways through PNRC-Grb2 interaction Oncogene 23:5394-5404

Examiner	/A B L/	Date	04/44/0040	
Signature	/Sarae Bausch/	Considered	04/11/2010	